

Foliage Fuels Company Profile



Foliage Fuels

15 Harvey Brown, Milton Park, Harare
Email: info@foliagefuels.com

Reg No.23513A02122024



VISION

We aspire to be the leading provider of innovative fuel products delivering value to our customers, partners, and communities.

MISSION

Our mission is to be the preferred fuel supplier by delivering exceptional products and services that exceed customer expectations while promoting environmental responsibility and community engagement

VALUES

Our company is committed to integrity, reliability, and excellence in all aspects of our operations

Who are we

INCORPORATION

Foliage fuels was established to fulfil a crucial need in the market for reliable and efficient supply and distribution of petroleum products. Recognizing the demand for high-quality fuel products across various industries, the founders saw an opportunity to streamline the supply chain and provide value-added solutions to businesses and consumers.

The company was founded with the vision of becoming a trusted partner in the energy sector, offering a diverse range of fuel products and services to meet the evolving needs of customers. Whether supplying petrol, diesel, aviation fuel, or alternative energy sources, the company aims to deliver superior quality, competitive pricing, and exceptional customer service.

Who are we

BUSINESS ETHICS

Integrity: Conduct all business activities with honesty, transparency, and integrity. Uphold high moral and ethical standards in interactions with customers, suppliers, employees, and stakeholders.

Compliance: Ensure compliance with all applicable laws, regulations, and industry standards governing the fuel industry. Stay updated on regulatory changes and adapt business practices accordingly to maintain legal compliance.

Fair Pricing: Price products and services fairly and competitively, avoiding price gouging or unfair pricing practices. Provide transparent pricing information to customers and avoid engaging in deceptive or misleading pricing strategies.

Quality Assurance: Maintain strict quality control measures to ensure the integrity and safety of our products. Adhere to industry standards and best practices for handling, storage, and distribution to prevent contamination or safety hazards.

Our Service Offering

Core Business

- ❖ Fuel Import & Storage: Large-scale importation of petroleum products for distribution.

- Diesel EN590
EN590 Diesel Pricing & Availability
- Pricing depends on:
 - Crude oil prices
 - Refinery costs & logistics
 - Government regulations & taxes

Core Service

- ❖ Import & Distribution of Diesel EN590 – Sourcing from top global refineries and suppliers.
- ❖ Bulk Fuel Supply & Logistics – Reliable delivery across Southern Africa.
- ❖ Fuel Storage Solutions – Safe and compliant fuel storage infrastructure.
- ❖ Customs & Regulatory Compliance – Ensuring smooth importation and adherence to industry regulations.
- ❖ Fuel Quality Testing & Certification – Guaranteed EN590 compliance through rigorous quality checks.

Our Clients

We supply Diesel EN590 to:


- ✓ Fuel stations & wholesalers
- ✓ Logistics & transport companies
- ✓ Construction & mining firms
- ✓ Government & municipal fleets

TECHNICAL SPECIFICATION

DIESEL ULSD10ppm

COMPONENT	METHOD OF ANALYSIS	UNIT	RESULT	
			Min.	Max.
Aspect	Visual Inspection		Clear	
Color	ASTM D 1500		2,0	
Density @ 15°	EN ISO 3675:98 / EN ISO 12185:96 / CI: 2001	Kg/m ³	820,0	845,0
Flash Point	EN ISO 2719:2002	°C	63(2)	
Distillation:				
- Recover @ 150 °C	EN ISO 3406:2000	% vol		2,0
- Recover @ 250 °C		% vol		
- Recover @ 350 °C		% vol	85,0 (2)	65,0 (2)
- Recover @ 95%		°C		360,0
C.F.P.P (summer) (3)	EN 116:1997	°C		-2
C.F.P.P (winter) (3)		°C	50,0	-12
CLOUD Point (summer)	EN 23015:1994	°C	Report	
CLOUD Point (winter)		°C	0	
Cetane number	EN ISO 5165:1998	n °	51,0	
Cetane Index	EN ISO 4264:1996	Index	46,0	
Viscosity @ 40 °C	EN ISO 3104:1995	mm ² /s	2,00	4,50
Water content	EN ISO 12937:2000	mg/kg		200
Total contamination	EN ISO 12662:2002	mg/kg		15
Sulfur content	EN ISO 20884:2004	mg/kg		10,00
Copper strip corrosion (3 hr at 50 °C)	EN ISO 2160:1998	Indice	1 st Class	
Carbon residue (on 10% distillation residue)	EN ISO 10370:1995	% weight		0,15
Total acidity	ASTM D 974:2002	mgKOH/g		0,3
Ash content	EN ISO 6245:2002	% weight	20	0,01
Lubricity, correct wear scar	EN ISO 12156-1:2000	µm		460
Oxidation stability	EN ISO 12205:1996	g/m ³		
Electrical conductivity (4)	IP 274; ASTM 2624; ISO 6297	pS/m	50	
Polycyclic aromatic hydrocarbons	EN 12916:2001	% m/m		11,0 (6)
Biodiesel content (5)	EN 14078:2003	% vol	4,5	7,0

Organizational Chart



Foliage Fuels Executives

Moses Musware Chief Executive Officer

Mr Musware holds a BSc (hons) in Computer Science from NUST. He also has qualifications in financial markets for derivatives which has given him expertise in the pricing of commodities. Moses worked for Kingdom Bank, Highveld Financial Services then moved to South Africa where he worked for Credit Suisse & ABSA. He is a founding member of Foliage Fuels.

Life Mararike Chief Operating Officer

Mr Mararike holds a Bachelor of Accountancy from the University of Zimbabwe. Life worked for Kingdom Bank, Highveld Financial Services & PSMI and then moved to start-up Busimarx Car Rental as the managing director. He is a founding member of Foliage Fuels.

Contact Details

Life Mararike +263(077) 247 3142

Moses Musware +263(077) 742 9827

email info@foliagefuels.com